


Class-X

Mathematics Basic (241)



Section A

1.

b, $2^4 \times 7^3$ ✓

2.

d, Mode = 3 Median - 2 Mean ✓

3.

a, 60° ✓

4.

e, 5.5 ✓

5.

d, $\frac{3}{2}, -1$ ✓

6.

a, 4 ✓

7.

b, 5 ✓

8.

b, $x + y = 19$ ✓

Rough

$$\begin{array}{r} 2 \overline{) 5488} \\ 2 \overline{) 2744} \\ 2 \overline{) 1372} \\ 2 \overline{) 686} \\ 2 \overline{) 343} \\ 2 \overline{) 171.5} \end{array}$$

$$\begin{array}{r} 242 \\ 242 \\ 242 \\ 242 \\ 242 \\ 242 \\ 242 \\ 242 \\ 242 \\ 242 \end{array}$$

$$\begin{array}{r} 858 \\ 858 \\ 858 \\ 858 \\ 858 \\ 858 \\ 858 \\ 858 \\ 858 \\ 858 \end{array}$$

9.

a) 0 ✓

10.

c) $\frac{77}{2} \text{ cm}^2$ ✓

11.

c) 115° ✓

12.

a) $\frac{1}{26}$ ✓

13.

d) 4 ✓

14.

d) -2 ✓

15.


d) $\frac{1}{3}$ ✓

16.

a) $K = \frac{3}{2}$ ✓

17.

d) -1 ✓



18e

c) 360 ✓

19

c) Assertion (A) is true, but Reason (R) is false,

20

b) Both (A) and (R) are true, but Reason (R) is not the correct explanation of Assertion (A)

Section - B

21

a) divisible by 6

favourable outcomes = 5, Total outcomes = 30

» No. divisible by 6 are 6, 12, 18, 24, 30

$$P(E) \Rightarrow \frac{5}{30} \Rightarrow \frac{1}{6}$$

$$P(E) \Rightarrow \frac{1}{6} \text{ ans}$$

21.

b)

greater than 25

Total outcomes $\rightarrow 30$ favourable outcomes $\rightarrow 26, 27, 28, 29, 30 \Rightarrow$

$$P(E) \Rightarrow \frac{5}{30} = \frac{1}{6}$$

$$\text{ans} \Rightarrow \frac{1}{6}$$

22.

a)

$$5x^2 - 10x + K = 0$$

for real and equal roots

$$D = 0$$

$$D = b^2 - 4ac$$

$$b \Rightarrow -10, a \Rightarrow 5, c \Rightarrow K$$

$$0 \Rightarrow (-10)^2 - 4 \times 5 \times K$$

$$0 \Rightarrow 100 - 20K$$

$$100 \Rightarrow 20K$$

P.T.O.

$$K = \frac{100}{20}$$

$$[K = 5] \text{ any}$$

23.

$$5 \operatorname{cosec}^2 45^\circ - 3 \sin^2 90^\circ + 5 \cos 0^\circ$$

$$\operatorname{cosec} 45^\circ \Rightarrow \sqrt{2}, \sin 90^\circ \Rightarrow 1$$

$$\cos 0^\circ \Rightarrow 1$$

$$5(\sqrt{2})^2 - 3 \times (1)^2 + 5 \times (1)$$

$$\Rightarrow 5 \times 2 - 3 + 5$$

$$10 - 3 + 5$$


$$\Rightarrow 12 \text{ any}$$

24.

Given: (O, M) , $PA = 24$ (Tangent)

$PO = 25 \text{ cm}$, $OA = \text{radius}$

To find: OA -



P.T.O.

Solution :- $\angle OAP = 90^\circ$ [radius is always $\perp$ to point of contact on tangent]

$\triangle AOP$ is a right angled triangle
 $OP^2 = PA^2 + OA^2$ [Pythagoras theorem]

$$2) (25)^2 \Rightarrow (24)^2 + OA^2$$

$$625 \Rightarrow 576 + x^2$$

$$625 - 576 \Rightarrow x^2$$

$$49 \Rightarrow x^2$$

$$x = 7 \text{ cm}$$

Ans. Radius $\Rightarrow 7 \text{ cm}$

25. b)

$$x^2 + 4x - 12$$

$$\Rightarrow x^2 + 6x - 2x - 12$$

$$\Rightarrow x(x+6) - 2(x+6)$$

$$(x-2)(x+6)$$

$$x-2=0, \quad x+6=0$$

$$x=2, \quad x=-6$$

Zeros $\Rightarrow 2, -6$

Section - C

26.

Let, $7 + 4\sqrt{5}$ be a rational number.

$7 + 4\sqrt{5} = \frac{a}{b}$, $b \neq 0$, a & b are integers (co-prime)

$$\therefore 7 + 4\sqrt{5} = \frac{a}{b}$$

$$4\sqrt{5} = \frac{a}{b} - 7$$

$$4\sqrt{5} = \frac{a - 7b}{b}$$

$$\sqrt{5} = \frac{a - 7b}{4b}$$

Since, a and b are integers. $\frac{a - 7b}{4b}$ is rational but we know that $\sqrt{5}$ is an irrational number. So, Contradicts by facts, Hence, $7 + 4\sqrt{5}$ is an irrational number.

27.

$$\frac{1}{x} - \frac{1}{x-2} = 3$$

$$\frac{x-2-x}{x(x-2)} = 3$$

$$\frac{-2}{x^2-2x} = 3$$

$$-2 \Rightarrow 3x^2 - 6x$$

$$\Rightarrow 3x^2 - 6x + 2 = 0$$

$$D = b^2 - 4ac$$

$$\Rightarrow (-6)^2 - 4 \times 3 \times 2$$

$$36 - 4 \times 6$$

$$36 - 24$$

$$= 12$$

$$\text{Roots} \Rightarrow \frac{-b \pm \sqrt{b^2 - 4ac}}{2a} \Rightarrow \frac{6 \pm \sqrt{12}}{2 \times 3} \Rightarrow \frac{6 \pm 2\sqrt{3}}{6}$$

$$\Rightarrow \frac{2\sqrt{3}(1 \pm \sqrt{3})}{2 \times 3}$$

$$\Rightarrow \frac{3 \pm \sqrt{3}}{3}$$

$$\Rightarrow \text{Root} \Rightarrow \frac{-(-6) - \sqrt{12}}{2 \times 3}$$

$$\Rightarrow \frac{6 - 2\sqrt{3}}{6}$$

$$\Rightarrow \frac{2(3 - \sqrt{3})}{2 \times 3}$$

$$= \frac{3 - \sqrt{3}}{3}$$

$$\text{Ans} \Rightarrow \text{Roots} \Rightarrow$$

$$\frac{3 + \sqrt{3}}{3}, \frac{3 - \sqrt{3}}{3}$$

28.

$$\text{Q), } \frac{\cancel{\cot A} - \cancel{\cos A}}{\cancel{\cot A} + \cancel{\cos A}} = \frac{\cancel{\cos^2 A}}{(\cancel{1 + \sin A})^2}$$

LHS $\rightarrow$

$$\frac{\cancel{\cot A} - \cancel{\cos A}}{\cancel{\cot A} + \cancel{\cos A}} \times \cot$$

$$\Rightarrow \frac{\cancel{\cos A} - \cancel{\cos A}}{\cancel{\sin A}}$$

28.

$$b, \quad (\sec \theta + \tan \theta)(1 - \sin \theta) = \cos \theta$$

$$\text{HS } \Rightarrow (\sec \theta + \tan \theta)(1 - \sin \theta)$$

$$\Rightarrow \left(\frac{1}{\cos \theta} + \frac{\sin \theta}{\cos \theta} \right) (1 - \sin \theta)$$

$$\Rightarrow \frac{(1 + \sin \theta) \times (1 - \sin \theta)}{\cos \theta}$$

PTO


$\Rightarrow \frac{1 - \sin^2 \theta}{\cos \theta}$

$\Rightarrow \frac{\cos^2 \theta}{\cos \theta} \quad [\sin^2 \theta + \cos^2 \theta = 1]$

$\Rightarrow \cos \theta$

LHS = RHS $\cos \theta = \cos \theta$

29. b)



Given :- CM and RN are medians respectively of $\triangle ABC$ and $\triangle POR$. $\triangle ABC \sim \triangle POR$

To prove : $\triangle AMC \sim \triangle PNR$ ✓
 prog : $\triangle ABC \sim \triangle PQR$ (given) ✓
 $\frac{AB}{PQ} = \frac{AC}{PR} = \frac{BC}{QR}$ ✓

$$\angle A = \angle P, \angle B = \angle Q, \angle C = \angle R$$

$$\therefore \frac{AB}{PQ} = \frac{2AM}{2PN} \quad [AM \text{ and } PN \text{ are medians}]$$

In $\triangle AMC$ and $\triangle PNR$

$$\frac{AC}{PR} = \frac{AM}{PN} \quad [\text{each equal to } \frac{AB}{PQ}]$$

$$\angle A = \angle P \quad (\text{given})$$

$\triangle AMC \sim \triangle PNR$ (By SAS similarity)

HP

30.

Family size	No. of families	C.F.	
1 - 3	7	7	
3 - 5	8	15	median class
5 - 7	2	17	
7 - 9	2	19	
9 - 11	1	20	

$$\frac{N}{2} \Rightarrow \frac{20}{2} \Rightarrow 10$$

$$\text{median} \Rightarrow l + \left(\frac{N/2 - cf}{f} \right) \times h$$

$$\Rightarrow 3 + \left(\frac{10 - 7}{8} \right) \times 2$$


$$3 + \frac{3}{8} \times 2$$

$$\Rightarrow 3 + \frac{3}{4}$$

$$\Rightarrow \frac{15}{4}$$

$$\Rightarrow 3.75$$

31.



$$A \Rightarrow 5, 3$$

$$B \Rightarrow 4, 5$$

• At O ratio $\Rightarrow 1:2$

$$\therefore O(x, y)$$

$$x = \frac{m x_2 + n x_1}{m + n}$$

$$\Rightarrow x \Rightarrow \frac{1 \times 4 + 2 \times 5}{1 + 2}$$

$$x \Rightarrow \frac{4 + 10}{3} \Rightarrow \frac{14}{3}$$

$$y \Rightarrow \frac{1 \times 5 + 2 \times 3}{3} \Rightarrow \frac{5 + 6}{3} \Rightarrow \frac{11}{3}$$

$$\therefore O(x, y) \Rightarrow O\left(\frac{14}{3}, \frac{11}{3}\right)$$

• At P ratio $\Rightarrow 2:1$

$$P(x, y) \Rightarrow$$

P.T.O

$$x = \frac{2 \times 4 + 1 \times 5}{2+1}$$

$$x = \frac{8+5}{3} \Rightarrow \frac{13}{3}$$

$$y = \frac{2 \times 5 + 1 \times 3}{3} = \frac{13}{3}$$

$$\therefore P(x, y) \Rightarrow P\left(\frac{13}{3}, \frac{13}{3}\right) \quad \text{Ans}$$

Section - D

32. b) given : $\frac{QB}{QS} = \frac{QT}{PR}$, $\angle 1 = \angle 2$


To prove : $\triangle PQS \sim \triangle TOR$

proof : In $\triangle PQR$

$$\angle 1 = \angle 2$$

$PQ = PR$ [sides opposite to equal angles are equal]

PTO




In $\triangle POS$ and $\triangle TOR$
 $\angle O = \angle O$ [common]
 $\frac{OR}{OS} = \frac{OT}{PR}$ (given)

$$\Rightarrow \frac{OR}{OS} = \frac{OT}{PO} \quad [PR = PO]$$

$\therefore \triangle POS \sim \triangle TOR$ [By SAS similarity] mp

33. a)



Given, $AB = \text{height of bridge} = 3\text{m}$

$\therefore$ In $\triangle ABC$
 $\tan 45^\circ = \frac{AB}{BC}$

PTO

$$1 = \frac{3}{BC}$$

$$BC = 3 \text{ m}$$

In ΔABD ,

$$\tan 30^\circ = \frac{AB}{BD}$$

$$\frac{1}{\sqrt{3}} = \frac{3}{BD}$$

$$BD = 3\sqrt{3} \text{ m}$$

$\therefore$ width of river $\Rightarrow BC + BD \Rightarrow CD$

$$3 + 3\sqrt{3}$$

$$\Rightarrow 3(1 + \sqrt{3})$$

$$= 3 \times 2.73$$

$$\Rightarrow 8.19 \text{ m}$$

34.

First term, a , common difference, d

$$a_4 + a_8 \Rightarrow 24$$

$$a_6 + a_{10} \Rightarrow 44$$

$$\Rightarrow a + 3d + a + 7d \Rightarrow 24$$

$$2a + 10d \Rightarrow 24$$

$$a + 5d \Rightarrow 12$$

$$a + 5d + a + 9d \Rightarrow 44$$

$$2a + 14d \Rightarrow 44$$

$$a + 7d \Rightarrow 22$$

From ① and ②

$$a + 5d \Rightarrow 12$$

$$a + 7d \Rightarrow 22$$

$$2d \Rightarrow 10$$

$$[d \Rightarrow 5]$$

put/d in eq ①

$$a + 5d = 12$$

$$a + 5 \times 5 = 12$$

$$a + 25 = 12$$

$$[a = -13]$$

AP is $\rightarrow -13, -8, -3, 2$

$$S_{25} \rightarrow \frac{n}{2} (2a + (n-1)d)$$


$$S_{25} \rightarrow \frac{25}{2} (2 \times -13 + (24) \times 5)$$

$$\frac{25}{2} \times (-26 + 120)$$

$$\frac{25}{2} \times 94$$

$$\Rightarrow 1175$$

35. height of cylinder $\Rightarrow 10 \text{ cm}$
 radius $\Rightarrow 3.5 \text{ cm} \Rightarrow \frac{7}{2} \text{ cm}$



TSA of article $\Rightarrow$
 CSA of cylinder +
 $2 \times \text{CSA of hemisphere}$

$$\Rightarrow 2\pi rh + 2 \times 2\pi r^2$$

$$\Rightarrow 2\pi r [h + 2r]$$

$$\Rightarrow 2 \times \frac{22}{7} \times \frac{7}{2} \left(10 + 2 \times \frac{7}{2} \right)$$

$$\Rightarrow 22 \times 17$$

$$\Rightarrow 374 \text{ cm}^2$$

6.7
 x 22
 144
 368

Section - E

36. i) B is midpoint of AC

$$\therefore AB = BC$$

$$AC = 2AB$$

$$AC = 2 \times 20$$

$$\therefore AC = 40 \text{ m}$$

ii)

shortest distance of road from the village = radius

$$OA^2 = AB^2 + OB^2$$

$$\Rightarrow (25)^2 = (20)^2 + OB^2$$

$$625 - 400 = OB^2$$

$$225 = OB^2$$

$$[OB = 15 \text{ m}]$$

$\therefore$ Shortest distance = 15 m

iii) a)

$$\text{Circumference} \rightarrow 2\pi r$$

$$\Rightarrow 2 \times \frac{22}{7} \times 15$$

$$\Rightarrow \frac{44 \times 15}{7}$$

$$\Rightarrow \frac{660}{7} \text{ cm}$$

$$\Rightarrow 94 \frac{2}{7} \text{ cm or } 94.183 \text{ cm}$$

37. i) area of square $\rightarrow$ side²

$$\Rightarrow 8 \times 8 \Rightarrow 64 \text{ cm}^2$$

ii) length of diagonal $\rightarrow \sqrt{2}a$

$$\Rightarrow 8 \times \sqrt{2} \Rightarrow 8\sqrt{2} \text{ cm}$$

iii) side $\rightarrow$ diameter $\rightarrow$ diameter $\rightarrow 8 \text{ cm}$ radius $\rightarrow 4 \text{ cm}$

$$\text{area of sector} \rightarrow \frac{\pi r^2 \theta}{360^\circ} \Rightarrow \frac{22}{7} \times 4 \times 4 \times \frac{90}{360} \Rightarrow \frac{88}{7} \text{ cm}^2$$

$$\Rightarrow \frac{88}{7} \text{ cm}^2 \text{ or } 12.57 \text{ cm}^2$$

38.

Let, the fixed charge be ₹ x

Let, the charges per km be ₹ y

$$\begin{aligned} \therefore \quad & x + 10y = 105 \quad \text{--- (1)} \\ & x + 15y = 155 \quad \text{--- (2)} \end{aligned}$$

$$5y = 50$$

$$[y = 10]$$

$$\therefore \quad x + 10 \times 10 = 105$$

$$x = 105 - 100$$

$$[x = 5]$$

i) Fixed charges ₹ 5
Charges per km ₹ 10

iii) fixed charge ₹ 20, charges per km ₹ 10

$$\therefore \quad \text{pay for 10 km} = 20 + 10 \times 10$$

$$= 20 + 100 = ₹ 120 \quad \text{--- Hp}$$